Committee: Rules

Date: 8-21-06 Committee Date: 8-31-06

Author: <u>Diane Hammons</u> Sponsor: <u>Cara Cowan Watts</u>

An Act

Legislative Act 25-06

A LEGISLATIVE ACT AMENDING CNCA TITLE 47 "MOTOR VEHICLES; ADDING REGULATIONS FOR TRAFFIC CONTROL; AND ESTABLISHING A BOND SCHEDULE

BE IT ENACTED BY THE CHEROKEE NATION:

SECTION 1. TITLE AND CODIFICATION

This act shall be known as the 2006 Motor Vehicle Code Update and Cherokee Nation Bond Schedule and codified as and adding new sections 47 CNCA Section 12-417, 47 CNCA Section 11-1114, 47 CNCA Section 11-1115, 47 CNCA Section 12-609, 47 CNCA Chapter 14 Section 14-107 and 47 CNCA Chapter 14 Section 14-109 of the Cherokee Nation Code Annotated.

The Cherokee Nation Bond Schedule will be an appendix to the Title 47 codified as 47 CNCA Appendix A.

SECTION 2. PURPOSE

The purpose of this act is to create standards for traffic violations and to up date title 47 CNCA. More specifically,

- The <u>Bond Schedule</u> is to create a standard for traffic violations.
- <u>47 Section 12-417, Seat Belt Law</u> Cherokee Citizens will be required to wear a seat belt while operating and riding as a passenger of a motor vehicle.
- 47 CNCA Section 11-1114 Allowing passenger to ride outside of compartment this law
 makes it illegal for a person to ride outside of the compartment of a motor vehicle.
- 47 CNCA Section 11-1115, Railroad crossings this law creates standards for crossing a railroad grade.
- 47 CNCA Section 12-609, Motorcycle and motor scooter this law creates safety standards for motorcycle and motor scooter for Cherokee Citizens.
- 47 CNCA Chapter 14 Section 14-107, Definitions this law adds needed definitions for the Overload, Any Axle or Gross Weight law.
- 47 CNCA Chapter 14 Section 14-109 Overload, Any Axle or Gross Weight this law creates standards for large trucks using Cherokee Nation roads.

SECTION 3. LEGISLATIVE HISTORY

None.

SECTION 4. DEFINITIONS

The following definitions shall be added to 47 CNCA Chapter 14 Section 14-107:

Definitions

As used in this chapter:

- 1. "Axle load" means the total load transmitted to the road by all wheels whose centers are included between two parallel transverse vertical planes forty (40) inches apart, extending across the full width of the vehicle;
- 2. "Tandem axle" means any two or more consecutive axles whose centers are more than forty (40) inches apart, but not more than ninety-five (95) inches apart; and
- 3. "Nondivisible" means any load or vehicle exceeding applicable length or weight which, if separated into smaller loads or vehicles, would:

- a. compromise the intended use of the vehicle,3
- b. destroy the value of the load or vehicle, or
- c. require more than eight (8) hours to dismantle using appropriate equipment

SECTION 5. SUBSTANTIVE PROVISIONS OF LAW

Cherokee Nation Bond Schedule 47 CNCA Appendix A

OFFENSE	MIN Plus \$	60.00	<u>0</u>
Speeding			
One to Ten miles per hour Over Limit	<u>\$21</u>	<u>0.90</u>	47 CNCA. § 11-801
Eleven to Fifteen miles per hour Over Limit	<u>\$24</u>	<u>8.90</u>	47 CNCA. § 11-801
Sixteen to Twenty miles per hour Over Limit	<u>\$26</u>	<u>3.90</u>	47 CNCA. § 11-801
Twenty-one to Twenty-five miles per hour Over Limit	<u>\$30</u>	<u>3.90</u>	47 CNCA. § 11-801
Twenty-six to Thirty miles per hour Over Limit	<u>\$36</u>	<u>3.90</u>	47 CNCA. § 11-801
Thirty-one to Thirty-five miles per hour Over Limit	<u>\$38</u>	<u>3.90</u>	47 CNCA § 11-801
Thirty-six miles per hour or more Over Limit	<u>\$43.</u>	3.90	47 CNCA § 11-801
Speeding in a Construction or Maintenance Zone			
One to Ten miles per hour Over Limit	<u>\$248.90</u>	47 C 806;	CNCA. § 11-
Eleven to Fifteen miles per hour Over Limit	<u>\$268.90</u>	47 C 806;	ENCA § 11-
Sixteen to Twenty miles per hour Over Limit	\$298.90	47 C 806;	CNCA § 11-
Twenty-one to Twenty-five miles per hour Over Limit	\$378.90	47 C 806;	ENCA § 11-
Twenty-six to thirty miles per hour Over Limit	<u>\$498.90</u>	47 C 806;	NCA § 11-
Thirty-one to thirty-five miles per hour Over Limit	<u>\$536.90</u>	47 (806;	CNCA § 11-
Thirty-six miles or more miles per hour Over Limit	<u>\$638.90</u>	47 C 806;	NCA § 11-
Operating a Motor Vehicle in a Manner Not Reasonable and Proper	<u>\$278.90</u>	<u>47 C</u>	CNCA § 11-801
Reckless Driving (First Offense Only.)	<u>\$477.40</u>	47 C	NCA § 11-901
Reckless Driving (Second or Subsequent Offense)	<u>\$527.40</u>	47 C	NCA § 11-901
Failure to Obey a Lawful Traffic Control (Sign) (Signal) (Device)	<u>\$233.90</u>	<u>47 C</u>	NCA § 11-201
Impeding the Normal and Reasonable Flow of Traffic	<u>\$233.90</u>	47 C 804.	NCA § 11- A
Improper Passing			
1. Failure to Give Way to Right when being passed	<u>\$233</u>	<u>3.90</u>	47 CNCA § 11-303.a
2. Improper Passing on the Right	\$233	<u>3.90</u>	47 CNCA § 11- 304.b

Driving Left of Center

Zert of Center		
1. Unauthorized Driving Left of Center on		
(Grades) (Curves) (View Obstructed)	<u>\$233.9</u>	47 CNCA § 11- 0 306.a-1
2. Unauthorized Driving Left of Center within 100' of	<u>of</u>	
(Intersection) (Railroad Crossing)	\$233.9	47 CNCA § 11- 0 306.a-2
3. Unauthorized Driving Left of Center within 100' cany	<u>of</u>	
(Tunnel) (Bridge) (Viaduct) when view is obstructe	<u>d</u> \$233.90	47 CNCA § 11- 2 306.a-3
4. On Left Side of Road in a Marked Zone	\$233.90	47 CNCA § 11- 2 307.b
5. Unauthorized Driving Left of Center on Divided Four-Lane Roadway	<u>\$233.90</u>	47 CNCA § 11- 301.c
Driving Wrong Way on One-way Road	<u>\$233.90</u>	47 CNCA § 11- 308.b
Improperly Crossing Center Dividing Section	\$233.90	
Improperly Driving (Onto) (Off) Controlled-access Roadway	\$233.90	
Improper Movement from a Direct Course (To enter private drive)		
(Driveway)	<u>\$233.90</u>	47 CNCA §11- 604.a
Failure to Signal Intention to Turn Right or Left	\$233.90	47 CNCA § 11- 604.b
Failure to Stop for a Stop Sign	<u>\$233.90</u>	47 CNCA § 11- 403.b
Changing Lanes Unsafely	\$233.90	47 CNCA § 11-309
Failure to Stop for a School Bus (Loading) (Unloading) Children	<u>\$328.90</u>	47 CNCA §11- 705.a
Failure to Wear Safety Belt	\$80.00	47 CNCA § 12-417
Failure to Use Child Passenger Restraint System	<u>\$256.90</u>	47 CNCA. § 11- 1112
Depositing, Dumping or Throwing Destructive or Injurious Material on Public Property	<u>\$418.40</u>	21 CNCA § 1761.1
Improper Negotiation of a Railroad-Highway Grade Crossing by a Commercial Motor Vehicle	<u>\$233.90</u>	47 CNCA. § 11- 1115
Failure to Stop/Improper Stop at a Railroad Grade Crossing	\$233.90	47 CNCA. § 11- 701
Throwing, Dropping, Depositing or Placing Litter (Including Lighted Substances) on Highway, Roadway or Public Property	<u>\$228.40</u>	21 CNCA § 1753
Allowing a Passenger to Ride Outside the Passenger Compartment of the vehicle	\$85.00	47 CNCA. § 11- 1114
Operating a Motor Vehicle with an Improper Brake System		68 CNCA § 11- 1114

Operating a Motor Vehicle Without a Valid (Operator's) (Chauffeur's)		
License)	\$278.90	68 CNCA § 1263
Violation of License Restriction	<u>\$233.90</u>	68 CNCA § 1263
<u>Transporting Open Container in violation of 21 CNCA</u> §1220	\$338.90	21 CNCA § 1220
<u>Unlawfully Transporting Open Container of Alcoholic</u> <u>Beverage in a Vehicle (M)</u>	<u>\$268.90</u>	21 CNCA § 1220
Drunk in a Public Place (Name Place)	\$228.40	37 CNCA § 8
Failure to Carry Security Verification Form	\$223.90	68 CNCA § 1263
Failure to Pay All Taxes Due State or Nation	\$223.90	68 CNCA § 1258
Operating a Vehicle Without Current License Plates (Decal)	<u>\$223.90</u>	47 CNCA § 1261
Operating a Motorcycle (Without) (Improper) (Windshield) (Goggles) (Face Shields)	<u>\$223.90</u>	47 CNCA § 40-105
Overload, Any Axle or Gross Weight		
From 700 up to and including 2,000 Pounds	<u>\$268.90</u>	47 O.S. § 14-109.A
From 2,001 up to and including 3,000 Pounds	<u>\$318.90</u>	47 O.S. § 14-109.A
From 3,001 up to and including 4,000 Pounds	\$368.90	47 O.S. § 14-109.A
From 4,001 up to and including 5,000 Pounds	<u>\$418.90</u>	47 O.S. § 14-109.A
From 5,001 up to and including 6,000 Pounds	<u>\$468.90</u>	47 O.S. § 14-109.A
From 6,001 up to and including 7,000 Pounds	<u>\$518.90</u>	47 O.S. § 14-109.A
From 7,001 up to and including 8,000 Pounds	<u>\$568.90</u>	47 O.S. § 14-109.A
From 8,001 up to and including 9,000 Pounds	<u>\$618.90</u>	47 O.S. § 14-109.A
From 9,001 up to and including 10,000 Pounds	<u>\$668.90</u>	47 O.S. § 14-109.A
Over 10,000 Pounds	<u>\$688.90</u>	47 O.S. § 14-109.A
Violating Special Permit, Exceeding Authorized Permit W	/eight in A	cordance with the

<u>Violating Special Permit, Exceeding Authorized Permit Weight in Accordance with the Bond Schedule provided for in this section for Overload, Plus an Additional One</u>

Hundred Dollars (\$100.00).

47 CNCA 12-417

Safety Belt Law

- 1. Every operator and front seat passenger of a passenger car operated in the jurisdiction of the Cherokee Nation shall wear a properly adjusted and fastened safety seat belt system, required to be installed in the motor vehicle when manufactured pursuant to 49 C.F.R., Section 571.208.
- 2. For the purposes of this section, "passenger car" shall mean "vehicle" as defined in Section 1-186 of this title. "Passenger car" shall include the passenger compartment of pickups, vans, minivans, and sport utility vehicles. "Passenger car" shall not include trucks, truck-tractors, recreational vehicles, motorcycles, or motorized bicycles. "Passenger car" shall not include a vehicle used primarily for farm use which is registered and licensed pursuant to the provisions of 68 CNCA § 1258 of Cherokee Nation Code.
- B. This section shall not apply to persons eligible for an exception for medical reasons pursuant to Title 59 Section 495 of the Oklahoma Statute and any other similar statute of another state.

- C. This section shall not apply to an operator of a motor vehicle while performing official duties as a route carrier of the U.S. Postal Service.
- D. Fine and court costs for violating the provisions of this section shall not exceed Twenty Dollars (\$20.00) plus sixty dollar (60.00) court cost.

47 CNCA 11-1114

Allowing passenger to ride outside of compartment

- A. No operator of a motor vehicle shall allow a passenger to ride outside the passenger compartment of the vehicle on the streets, highways or turnpikes of the Cherokee Nation; provided, this section shall not apply to persons so riding on private property or for parades or special events nor shall this section apply to passengers riding on the bed of a pickup truck.
- B. Any person convicted of violating the provisions of subsection A of this section shall be punished by a fine of Fifteen Dollars (\$15.00) and shall pay court costs of Sixty Dollars (\$60.00) provided the Department of Public Safety shall not assess points to the driving record of any licensed or unlicensed person convicted of a violation of this section.

47 CNCA11-1115

Railroad crossings

- At a railroad-highway grade crossing, a person operating a Class A, B or C commercial motor vehicle as described in 47 OS Section 1-107 shall not negotiate the crossing if there is:
- 1. Insufficient space to drive completely through the crossing without stopping; or
- 2. Insufficient clearance for the undercarriage of the vehicle.

47 CNCA 12-609

Motorcycle and motor scooter

- The following equipment shall be required on all motorcycles and all motor scooters except on actual trail rides conducted outside of public roads and highways:
- A. Rear View Mirrors: All vehicles covered under this section shall be equipped with two mirrors, containing a reflection surface of not less than three (3) inches in diameter, mounted one on each side of the vehicle and positioned so as to enable the operator to clearly view the roadway for a distance of two hundred (200) feet to the rear of his vehicle.
- B. Windshield: All vehicles covered under this section shall be equipped with a windshield of sufficient quality, size and thickness to protect the operator from foreign objects, except that in lieu of such windshield the operator shall wear goggles or face shield of material and design to protect him from foreign objects.
- C. Brakes: All vehicles covered under this section shall be equipped with brakes adequate to control the movement of same to stop and hold such vehicles, including two separate means of applying the brakes, one means shall be effective to apply the brakes to the front wheel and one means shall be effective to apply the brakes to the rear wheels. All such vehicles shall be equipped with a stop lamp on the rear of the vehicle, which shall display a red or amber light, or any shade of color between red and amber, visible from a distance of not less than one hundred (100) feet to the rear in normal sunlight, and which shall be actuated upon application of the service brake.
- D. Speedometer: All vehicles covered under this section shall be equipped with a properly operating speedometer capable of registering at least the maximum legal speed limit for that vehicle.
- E. Fenders: All vehicles covered under this section shall be equipped with a fender over each wheel. All fenders shall be of the type provided by the manufacturer.
- F. Lights: All vehicles covered under this section shall carry at least one lighted headlamp capable of showing a white light visible at least three hundred (300) feet in the direction in which the same are proceeding, and one tail lamp mounted on the rear which, when lighted, shall emit a red light plainly visible from at least three hundred (300) feet to the rear, and such lights required by this section shall be burning whenever such vehicles are in motion during the period from one-half hour after sunset and one-half hour before sunrise and at any other time when, due to insufficient light or unfavorable atmospheric conditions, persons and vehicles on the streets are not clearly discernible at a distance of at least five hundred (500) feet ahead.

G. Headgear: No person under eighteen (18) years of age shall operate or ride upon any vehicle covered under this section unless such person is equipped with and wearing on the head a crash helmet of a type which complies with standards established by the Department of Public Safety. All crash helmets shall consist of lining, padding and chin straps and be of the type as not to distort the view of the driver. The Commissioner of the Department of Public Safety is hereby authorized to approve or disapprove protective headgear and eye-protective devices sold and required herein, and to issue and enforce regulations establishing standards and specifications for approval thereof. The Commissioner shall publish lists of all approved protective headgear and eye-protective devices by name and type. Provided, however, the Department may not recommend one brand in preference to another if quality is identical.

47 CNCA14-109 Overload, Any Axle or Gross Weight

On any road or highway within the Cherokee Nation:

Distance in Feet

- 1. No single axle weight shall exceed twenty thousand (20,000) pounds; and
- 2. The total gross weight in pounds imposed thereon by a vehicle or combination of vehicles shall not exceed the value given in the following table corresponding to the distance in feet between the extreme axles of the group measured longitudinally to the nearest foot.

Between the lof Any Group More Consec	Extremes o of 2 or	Maximum Load in Pounds Carried on Any Group of 2 or More Consecutive Axles			
-	2 Axles	3 Axles	4 Axles	5 Axles	6 Axles
<u>4</u>	34,000				
<u>5</u>	34,000	*******	*****		
<u>6</u>	34,000				
7	<u>34,000</u>			***************************************	
8	34,000	<u>42,000</u>			
9	<u>39,000</u>	42,500			
<u>10</u>	40,000	43,500			P. P. B.
11		44,000			
<u>12</u>		45,000	50,000		
<u>13</u>		45,500	<u>50,500</u>		
<u>14</u>		<u>46,500</u>	<u>51,500</u>		
<u>15</u>	********	<u>47,000</u>	52,000		
<u>16</u>		48,000	<u>52,500</u>	<u>58,000</u>	
<u>17</u>		48,500	<u>53,500</u>	58,500	
<u>18</u>		49,500	54,000	59,000	

<u>19</u>		50,000	<u>54,500</u>	60,000		
<u>20</u>		<u>51,000</u>	<u>55,500</u>	60,500	66,000	
<u>21</u>		<u>51,500</u>	<u>56,000</u>	61,000	<u>66,500</u>	
<u>22</u>		52,500	<u>56,500</u>	61,500	<u>67,000</u>	
<u>23</u>		53,000	<u>57,500</u>	62,500	<u>68,000</u>	
<u>24</u>		<u>54,000</u>	<u>58,000</u>	63,000	<u>68,500</u>	
<u>25</u>		<u>54,500</u>	<u>58,500</u>	<u>63,500</u>	69,000	
<u>26</u>		<u>56,000</u>	<u>59,500</u>	64,000	<u>69,500</u>	
<u>27</u>		<u>57,500</u>	60,000	65,000	<u>70,000</u>	
<u>28</u>	************	<u>59,000</u>	60,500	65,500	<u>71,000</u>	
<u>29</u>		60,500	<u>61,500</u>	66,000	71,500	
<u>30</u>		62,000	<u>62,000</u>	66,500	72,000	
<u>31</u>		<u>63,500</u>	63,500	67,000	72,500	
<u>32</u>		<u>64,000</u>	<u>64,000</u>	<u>68,000</u>	73,500	
<u>33</u>			64,500	<u>68,500</u>	<u>74,000</u>	
<u>34</u>			65,000	<u>69,000</u>	<u>74,500</u>	
<u>35</u>			66,000	<u>70,000</u>	<u>75,000</u>	
<u>36</u>			<u>68,000</u>	<u>70,500</u>	<u>75,500</u>	
<u>37</u>			<u>68,000</u>	<u>71,000</u>	<u>76,000</u>	
<u>38</u>			<u>69,000</u>	<u>72,000</u>	<u>77,000</u>	
<u>39</u>			<u>70,000</u>	72,500	<u>77,500</u>	
<u>40</u>			<u>71,000</u>	73,000	<u>78,000</u>	
<u>41</u>			<u>72,000</u>	<u>73,500</u>	<u>78,500</u>	
<u>42</u>			73,000	<u>74,000</u>	79,000	
<u>43</u>			73,280	<u>75,000</u>	80,000	
<u>44</u>			73,280	<u>75,500</u>	80,500	

<u>45</u>			<u>73,280</u>	<u>76,000</u>	81,000
<u>46</u>			73,280	<u>76,500</u>	81,500
<u>47</u>			<u>73,500</u>	<u>77,500</u>	82,000
<u>48</u>			<u>74,000</u>	<u>78,000</u>	83,000
<u>49</u>			<u>74,500</u>	<u>78,500</u>	83,500
<u>50</u>	**********		<u>75,500</u>	<u>79,000</u>	84,000
<u>51</u>			<u>76,000</u>	80,000	84,500
<u>52</u>			<u>76,500</u>	80,500	85,000
<u>53</u>		777777	<u>77,500</u>	81,000	86,000
<u>54</u>			<u>78,000</u>	81,500	86,500
<u>55</u>			<u>78,500</u>	82,500	87,000
<u>56</u>			<u>79,500</u>	83,000	87,500
<u>57</u>			80,000	83,500	88,000
<u>58</u>				84,000	89,000
<u>59</u>				<u>85,000</u>	89,500
<u>60</u>				<u>85,500</u>	90,000

B. Except as to gross limits, the table in subsection A of this section shall not apply to a truck-tractor and dump semitrailer when used as a combination unit. In no event shall the maximum load in pounds carried by any set of tandem axles exceed thirty-four thousand (34,000) pounds for vehicles exempt from the table; however, any vehicle operating with split tandem axles or tri-axles shall adhere to the table.

E. Exceptions to this section will be:

1. Utility or refuse collection vehicles used by counties, cities, or towns or by private companies contracted by counties, cities, or towns if the following conditions are met:

a. calculation of weight for a utility or refuse collection vehicle shall be "Gross Vehicle Weight". The "Gross Vehicle Weight" of a utility or refuse collection vehicle may not exceed the otherwise applicable weight by more than fifteen percent (15%). The weight on individual axles must not exceed the manufacturer's component rating which includes axle, suspension, wheels, rims, brakes, and tires as shown on the vehicle certification label or tag, and

C. Special permits may be issued as provided in this title for divisible loads for vehicle configurations in excess of six (6) axles. The permits may not exceed the Table "B" federal weights formula imposed by Title 23, U.S. Code, Section 127. Vehicles moving under the permits shall not traverse H-15 bridges or less without the express approval of the Secretary of Transportation.

D. Except for loads moving under special permits as provided in this title, no department or agency of this state or any county, city, or public entity thereof shall pay for any material that exceeds the legal weight limits moving in interstate or intrastate commerce in excess of the legal load limits of this state.

- b. utility or refuse collection vehicles operated under these exceptions will not be allowed to operate on interstate highways;
- 2. Vehicles transporting timber, pulpwood, and chips in their natural state, vehicles transporting oil field fluids, oil field equipment, or equipment used in oil and gas well drilling or exploration, and vehicles transporting grain, if the following conditions are met:
- a. the vehicles are registered for the maximum allowable rate,
- b. the vehicles do not exceed five percent (5%) of the gross limits set forth in subsection A of this section, and
- c. the vehicles operating pursuant to the provisions of this paragraph will not be allowed to operate on the National System of Interstate and Defense Highways; and
- 3. Vehicles transporting rock, sand, gravel, and coal if the following conditions are met:
- a. the vehicles are registered for the maximum allowable rate,
- b. the vehicles do not exceed five percent (5%) of the axle limits set forth in subsection A of this section, and
- c. the vehicles operating pursuant to the provisions of this paragraph will not be allowed to operate on the National System of Interstate and Defense Highways.
- F. Utility or refuse collection vehicles, vehicles transporting timber, pulpwood, and chips in their natural state, vehicles transporting oil field equipment or equipment used in oil and gas well drilling or exploration, vehicles transporting rock, sand, gravel, and coal and vehicles transporting grain, operating under exceptions shall purchase an annual special overload permit for One Hundred Dollars (\$100.00).
- G. For purposes of this section, "utility vehicle" shall mean any truck used by a private utility company, county, city, or town for the purpose of installing or maintaining electric, water, or sewer systems.

SECTION 6. PROVISIONS AS CUMULATIVE

The provisions of this act shall be cumulative to existing law.

SECTION 7. SEVERABILITY

The provisions of this act are severable and if any part of provision hereof shall be held void the decision of the court so holding shall not affect or impair any of the remaining parts or provisions of this act.

SECTION 8. EFFECTIVE DATE

The provisions of this act shall become effective thirty (30) days from and after the date of its passage and approval.

SECTION 9. SELF-HELP CONTRIBUTIONS

To the extent that this Act involves programs or services to citizens of the Nation or others, self-help contributions shall be required, unless specifically prohibited by the funding agency, or a waiver is granted due to physical or mental incapacity of the participant to contribute.

Enacted by the Council of the Cherokee Nation on the 11th day of September, 2006.

Meredith a. Frailey, Speaker
Council of the Cherokee Nation

ATTEST:

Don Garvin, Secretary

Council of the Cherokee Nation

Chadwick Smith, Principal Chief Cherokee Nation

ATTEST:

Melanie Knight, Secretary of State

Cherokee Nation

YEAS AND NAYS AS RECORDED:

Audra Smoke-Conner	<u>Yea</u>	Meredith A. Frailey	<u>Yea</u>
Bill John Baker	Yea	John F. Keener	Yea
Joe Crittenden	Yea	Cara Cowan Watts	Yea
Jackie Bob Martin	<u>Yea</u>	Buel Anglen	Yea
Phyllis Yargee	Yea	William G. Johnson	Yea
David W. Thornton, Sr.	Yea	Charles "Chuck" Hoskin	Yea
Don Garvin	Yea	Taylor Keen	<u>Yea</u>
Linda Hughes-O'Leary	Yea	Jack D. Baker	<u>Yea</u>
Melvina Shotpouch	Yea		104

	ADMINISTRATIVE CLEARANCE:	
_	Program/Project Manager:	Cherokee Nation
	psort paron 57	Act/Resolution Proposal Form
	Sigvature Date Department Director:	Act Resolution
	Signature Date Group Leader:	TITLE: 2006 Motor Vehicle Code Update and Cherokee Nation Bond Schedule
	of dear James	Department Contact: Justice Department
	Signature Date Government Resources Group:	Resolution Presenter: Diane Hammons
	Late Man alad	Council Sponsor: Cara Cowan-Watts
	Signature Date	NARRATIVE:
j	Administration Approval:	(See Attached Outline for Information Needed)
	Welanilla +	This Act is regarding traffic laws of the Cherokee Nation it also contains a Bond Schedule for traffic violations. This Act will create standards for traffic fines and has several new traffic
	Signature Date	violations that the Cherokee Nation needs. We used the
	<u> </u>	Oklahoma Statues for this code because the Justice Department wanted uninterrupted traffic laws for our citizens. These laws
ſ		are well known to citizens because they already have to follow
	LEGISLATIVE CLEARANCE	these laws for the State.

LEGISLATIVE CLEARANCE
Legislative Aide:

Standing Committee:

Bulls

Next Meeting Date

Chairperson:

Hrailey
Signature/Initial

Date

Returned to Presenter:

Date

AUG 1 7 2006

GOVERNMENT RESOURCES